

woodworkers window hardware

friction stays

stainless
3 bar
casement
or awning
friction stay

- 387S 203mm
- 329S 300mm
- 397S 305mm
- 388S 414mm
- 389S 503mm awning only
- 390S 602mm awning only

HEAVY DUTY

- 391S 263mm
- 392S 414mm
- 393S 567mm
- 394S 683mm awning only

whitco friction stays pair

- 395Z 200mm
- 396Z 300mm

* galv. zinc steel yellow finish (Z)



how to install a casement sash video

casement + shutter restraints

- 330B cable restrictor
- 330W cable restrictor
- 331B monkey tail casement stay 300mm
- 334G shutter "s" bracket to suit weatherboard
- 336S interlock safety restraint
- 340S casement bar stay 300mm
- 340G casement bar stay 300mm
- 340B casement bar stay 300mm
- 340AC casement bar stay 300mm

- 305S drop down telescopic stay (pictured)
- 306S screw down telescopic stay
- 305G drop down telescopic stay (pictured)
- 306G screw down telescopic stay
- 305AC drop down telescopic stay
- 306AC screw down telescopic stay (pictured)
- 305B black drop down telescopic stay available

- 324S quad stay
- 324G quad stay
- 324B quad stay
- 324AC quad stay

fanlight hardware

- 312G fanlight catch
- 312S fanlight catch
- 327G map rod
- 312B fanlight catch
- 327B map rod
- 327S map rod

locking chain winders

Whitco

- 307S locking chain winder
- 307BRW locking chain winder
- 307B locking chain winder
- 307W locking chain winder

key lockable catches

- 316S locking casement lever universal
- 316G locking casement lever universal
- 316B locking casement lever universal
- 318W locking casement lever left hand
- 317W locking casement lever right hand
- 326AC locking teardrop casement fastener left hand
- 325AC locking teardrop casement fastener right hand

non-keyed catches

- 301S teardrop casement fastener
- 301B teardrop casement fastener
- 302S square end casement fastener
- 302B square end casement fastener
- 311S casement fastener
- 301G teardrop casement fastener
- 301AC teardrop casement fastener
- 302G square end casement fastener
- 332B monkey tail casement fastener
- 311G casement fastener

cockspurs

- 303S window spur catch
- 303G window spur catch
- 303B window spur catch
- 303AC window spur catch
- 335S window spur catch contemporary

handles

- 321S offset D pull handle
- 321G offset D pull handle
- 321W offset D pull handle
- 321B offset D pull handle

push locks

- 320S push lock
- 320B push lock
- 320W push lock

- 341S hook hinge galvanised
- 313S fanlight cleat 75mm
- 313G fanlight cleat 75mm
- 313B fanlight cleat 75mm
- 314G fanlight pivot
- 314S fanlight pivot
- 314B fanlight pivot

window kits

fitch locks



sash locks + holds




lifts




sliding window hardware



gas struts



CASEMENT WINDOW KIT



CASEMENT WINDOW KIT - SILVER



CASEMENT WINDOW KIT - SILVER LEVER KIT



CASEMENT WINDOW KIT - GOLD



CASEMENT WINDOW KIT - GOLD LEVER KIT



CASEMENT WINDOW KIT - BLACK



CASEMENT WINDOW KIT - BLACK LEVER KIT



CASEMENT WINDOW KIT - WHITE



CASEMENT WINDOW KIT - WHITE LEVER KIT



DOUBLE HUNG WINDOW KIT



DOUBLE HUNG WINDOW KIT - SILVER



DOUBLE HUNG WINDOW KIT - GOLD



DOUBLE HUNG WINDOW KIT - BLACK



DOUBLE HUNG WINDOW KIT - WHITE



HOPPER WINDOW KIT



HOPPER WINDOW KIT - SILVER




HOPPER WINDOW KIT - GOLD



HOPPER WINDOW KIT - BLACK



HOPPER WINDOW KIT - WHITE



SLIDING WINDOW KIT



SLIDING WINDOW KIT - SILVER



SLIDING WINDOW KIT - GOLD



SLIDING WINDOW KIT - BLACK




SLIDING WINDOW KIT - WHITE



woodworkers louvre galleries + accessories

louvre galleries



■ 372B
152mm
louvre
galleries
black

■ 376B
security
bar option
black

□ 374W
white weather
strip

■ 374B
weather
strip black

■ 373B
□ 373W
lockable
handle option
for 102 and 152mm
louvre galleries
(side mullion required)

■ 371B □ 371W
102mm adjustable
louvre galleries

| number of blades | gallery height | handle quantity |
|------------------|----------------|-----------------|
| 3 | 292mm | 1 |
| 4 | 381mm | 1 |
| 5 | 470mm | 1 |
| 6 | 559mm | 1 |
| 7 | 648mm | 1 |
| 8 | 737mm | 2 |
| 9 | 826mm | 2 |
| 10 | 914mm | 2 |
| 11 | 1003mm | 2 |
| 12 | 1092mm | 2 |
| 13 | 1181mm | 2 |
| 14 | 1270mm | 2 |
| 15 | 1359mm | 3 |
| 16 | 1448mm | 3 |
| 17 | 1537mm | 3 |
| 18 | 1626mm | 3 |
| 19 | 1715mm | 3 |
| 20 | 1803mm | 3 |
| 21 | 1892mm | 3 |
| 22 | 1981mm | 4 |
| 23 | 2070mm | 4 |
| 24 | 2159mm | 4 |
| 25 | 2248mm | 4 |
| 26 | 2337mm | 4 |
| 27 | 2426mm | 4 |
| 28 | 2515mm | 4 |
| 29 | 2604mm | 5 |
| 30 | 2693mm | 5 |

■ 372B □ 372W
152mm adjustable
louvre galleries

| number of blades | gallery height | handle quantity |
|------------------|----------------|-----------------|
| 2 | 305mm | 1 |
| 3 | 445mm | 1 |
| 4 | 584mm | 1 |
| 5 | 724mm | 1 |
| 6 | 864mm | 1 |
| 7 | 1003mm | 2 |
| 8 | 1143mm | 2 |
| 9 | 1283mm | 2 |
| 10 | 1422mm | 2 |
| 11 | 1562mm | 2 |
| 12 | 1702mm | 2 |
| 13 | 1842mm | 3 |
| 14 | 1981mm | 3 |
| 15 | 2121mm | 3 |
| 16 | 2261mm | 3 |
| 17 | 2401mm | 3 |
| 18 | 2540mm | 3 |
| 19 | 2680mm | 4 |
| 20 | 2820mm | 4 |

□ 372W
white 152mm
louvre galleries

NOTES

- All controls are on the left hand gallery as standard. Right hand controls available to order.
- Maximum 7 blades per control on 102mm galleries and 6 blades on 152mm galleries.
- Key locking option available at additional cost.
- Glass louvre galleries take 152 x 6mm or 102 x 6mm polished edge glass blades.
- Timber louvre galleries are available that accept 102 x 13.5mm or 152 x 13.5mm profile timber blades.
- Standard colours are black, pearl white + silver anodised.

add 6mm to heights for weatherstrip

add 6mm to heights for weatherstrip

spirals + pulleys



spiral balances are only available in black tube.



removing & refitting spiral balances video

Whitco

| spiral number | body length | spiral number | body length |
|---------------|-------------|---------------|-------------|
| 361 - 20 | 320mm | 361 - 48 | 725mm |
| 361 - 22 | 345mm | 361 - 410 | 750mm |
| 361 - 26 | 395mm | 361 - 50 | 775mm |
| 361 - 28 | 420mm | 361 - 52 | 800mm |
| 361 - 30 | 470mm | 361 - 54 | 830mm |
| 361 - 32 | 495mm | 361 - 56 | 855mm |
| 361 - 34 | 525mm | 361 - 58 | 880mm |
| 361 - 36 | 550mm | 361 - 510 | 905mm |
| 361 - 38 | 575mm | 361 - 60 | 930mm |
| 361 - 310 | 600mm | 361 - 62 | 955mm |
| 361 - 40 | 625mm | 361 - 64 | 980mm |
| 361 - 42 | 650mm | 361 - 68 | 1030mm |
| 361 - 44 | 675mm | 361 - 70 | 1085mm |
| 361 - 46 | 700mm | 361 - 72 | 1110mm |

Heavy duty Schlegel spiral balances are also available in white and black which are custom made for specific weights. They are POA and have extended lead times



■ 336G
sash pulley

342
sash weight
1kg, 8.5kg & 12.5kg

338
sash pulley cord

■ 340G
ball bearing sash pulley

■ 339G
sash pulley chain

■ 337S
counter weighted double pulley

glazing accessories



351
glass manifestation adhesive tape

358
glazing silicone for timber neutral cure 300g

other stuff



□ 344S
window hood privacy screen strut stainless steel 425mm

359
door lifter allows hands free adjustment of door height when fitting hinges

pet doors

DOG DOORS FOR INSTALLATION IN SOLID DOORS



colour: white only
345 small
flap size 175 x 240mm
dog shoulder height 230mm
346 medium
flap size 225 x 290mm
dog shoulder height 460mm
347 large
flap size 295 x 425mm
dog shoulder height 550mm

two way locking magnetic close



PET DOOR FOR INSTALLATION IN GLASS clear polycarbonate with weatherseal and 4 way locking system.


cat door

348
overall size: 280mm
flap size: 185 x 285mm
also suitable for small dogs

dog door

349
435mm
295 x 300mm
semi large dogs
430mm shoulder (golden retriever)

vents



□ 350S
RETURN AIR VENT
aluminium 620 x 220mm
cutout size: 595 x 195mm
available in clear anodized and 16 powder coat colours (quantity restrictions apply)